GCSE Double Award Physics Unit 3 Foundation

Equations

current = $\frac{\text{voltage}}{\text{resistance}}$	$I = \frac{V}{R}$
total resistance in a series circuit	$R = R_1 + R_2$
energy transferred = power × time	$E = Pt$
power = voltage × current	$P = VI$
% efficiency = $\frac{\text{energy [or power] usefully transferred}}{\text{total energy [or power] supplied}} \times 100$	
density = $\frac{\text{mass}}{\text{volume}}$	$\rho = \frac{m}{V}$
units used (kWh) = power (kW) × time (h) cost = units used × cost per unit	
wave speed = wavelength × frequency	$v = \lambda f$
speed = $\frac{\text{distance}}{\text{time}}$	

SI multipliers

Prefix	Symbol	Conversion factor	Multiplier
milli	m	divide by 1000	1×10^{-3}
centi	c	divide by 100	1×10^{-2}
kilo	k	multiply by 1000	1×10^{3}
mega	M	multiply by 1 000 000	1×10^{6}

GCSE Double Award Physics Unit 3 Higher

Equations

current = $\frac{\text{voltage}}{\text{resistance}}$	$I = \frac{V}{R}$
total resistance in a series circuit	$R = R_1 + R_2$
total resistance in a parallel circuit	$\frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2}$
energy transferred = power × time	$E = Pt$
power = voltage × current	$P = VI$
power = current^2 × resistance	$P = I^2R$
% efficiency = $\frac{\text{energy [or power] usefully transferred}}{\text{total energy [or power] supplied}} \times 100$	
density = $\frac{\text{mass}}{\text{volume}}$	$\rho = \frac{m}{V}$
units used (kWh) = power (kW) × time (h) cost = units used × cost per unit	
wave speed = wavelength × frequency	$v = \lambda f$
speed = $\frac{\text{distance}}{\text{time}}$	

SI multipliers

Prefix	Symbol	Conversion factor	Multiplier
pico	p	divide by 1 000 000 000 000	1×10^{-12}
nano	n	divide by 1 000 000 000	1×10^{-9}
micro	μ	divide by 1 000 000	1×10^{-6}
milli	m	divide by 1000	1×10^{-3}
centi	c	divide by 100	1×10^{-2}

kilo	k	multiply by 1000	1×10^{3}
mega	M	multiply by 1 000 000	1×10^{6}
giga	G	multiply by 1 000 000 000	1×10^{9}
terra	T	multiply by 1 000 000 000 000	1×10^{12}

GCSE Physics Unit 6 Foundation

Equations

$\text{speed} = \frac{\text{distance}}{\text{time}}$	
$\text{acceleration [or deceleration]} = \frac{\text{change in velocity}}{\text{time}}$	$a = \frac{\Delta v}{t}$
acceleration = gradient of a velocity-time graph	
resultant force = mass × acceleration	$F = ma$
weight = mass × gravitational field strength	$W = mg$
work = force × distance	$W = Fd$
force = spring constant × extension	$F = kx$

SI multipliers

Prefix	Symbol	Conversion factor	Multiplier
milli	m	divide by 1000	1×10^{-3}
centi	c	divide by 100	1×10^{-2}
kilo	k	multiply by 1000	1×10^{3}
mega	M	multiply by 1 000 000	1×10^{6}

GCSE Physics Unit 6 Higher

Equations

$\text{speed} = \dfrac{\text{distance}}{\text{time}}$	
$\text{acceleration [or deceleration]} = \dfrac{\text{change in velocity}}{\text{time}}$	$a = \dfrac{\Delta v}{t}$
acceleration = gradient of a velocity-time graph	
distance travelled = area under a velocity-time graph	
resultant force = mass × acceleration	$F = ma$
weight = mass × gravitational field strength	$W = mg$
work = force × distance	$W = Fd$
$\text{kinetic energy} = \dfrac{\text{mass} \times \text{velocity}^2}{2}$	$\text{KE} = \frac{1}{2}\, mv^2$
change in potential energy = mass × gravitational field strength × change in height	$\text{PE} = mgh$
force = spring constant × extension	$F = kx$
work done in stretching = area under a force-extension graph	$W = \frac{1}{2}\, Fx$

SI multipliers

Prefix	Symbol	Conversion factor	Multiplier
pico	p	divide by 1 000 000 000 000	1×10^{-12}
nano	n	divide by 1 000 000 000	1×10^{-9}
micro	μ	divide by 1 000 000	1×10^{-6}
milli	m	divide by 1000	1×10^{-3}
centi	c	divide by 100	1×10^{-2}

kilo	k	multiply by 1000	1×10^{3}
mega	M	multiply by 1 000 000	1×10^{6}
giga	G	multiply by 1 000 000 000	1×10^{9}
terra	T	multiply by 1 000 000 000 000	1×10^{12}